



# Specification sheet

Part No. **A346B**

3 WAY FACE TYPE

Published 06.02.23

Part No. A346B

## 3 WAY FACE TYPE



Number of Rings 3

Outer Diameter (mm) NA

Max Amp Rating No Test Data Approx 40

Ring width (mm) 10

Bore (mm) 331

Min Voltage Spacing mm 10

### Specifications

Part No. A346B

## 3 WAY FACE TYPE



## Material properties

| Property              | Value                  | Standard |
|-----------------------|------------------------|----------|
| RING MATERIAL         | BRASS                  | -        |
| RISER MATERIAL        | BRASS                  | -        |
| INSUALTION MATERIAL   | SRBF, B12, BS2572 F2/1 | -        |
| HUB MATERIAL          | N/A                    | -        |
| RING PLATING MATERIAL | N/A                    | -        |

## RISERS properties

| Property               | Value       | Standard |
|------------------------|-------------|----------|
| TYPE                   | M6 THREADED | -        |
| LENGTH (mm)            | 50mm        | -        |
| WIDTH (mm)             | N/A         | -        |
| THICKNESS (mm)         | N/A         | -        |
| RISER PLATING MATERIAL | N/A         | -        |
| NUMBER OF RISERS       | 3           | -        |

## TERMINALS properties

| Property | Value | Standard |
|----------|-------|----------|
|          |       | -        |

Part No. A346B

## 3 WAY FACE TYPE



## GENERAL INFORMATION properties

| Property                          | Value                    | Standard |
|-----------------------------------|--------------------------|----------|
| OD (FACE TYPE)                    | 540mm                    | -        |
| SECURING METHOD - THREAD SIZE     | N/A                      | -        |
| SECURING METHOD - NUMBER OF HOLES | 6X Ø6.2 THRO' V Ø12 x 90 | -        |
| KEY WAY (Y/N)                     | N                        | -        |
| NUMBER OF CHANNELS                | 3                        | -        |
| BORE SIZE                         | 331                      | -        |

## ELECTRICAL INFORMATION properties

| Property           | Value        | Standard |
|--------------------|--------------|----------|
| VOLTAGE RATING MAX | 300 (UL 508) | -        |
| CURRENT RATING MAX | 65AMPS       | -        |



Part No. A346B

3 WAY FACE TYPE

**BGB (UK)**

Call us today on +44 (0) 1476 576280

Dysart Road  
Grantham  
Lincolnshire  
NG31 7NB

**BGB (USA)**

Call us today on +1 804 451 5211

1060 Port Walthall Drive  
Colonial Heights  
VA 23834  
USA

[www.bgbinnovation.com](http://www.bgbinnovation.com)