



Specification sheet

Part No. GA3836-02

SPB10-0P-2S-F-200mm

Print Date 27.07.23

Part No. GA3836-02

SPB10-0P-2S-F-200mm



Number of Rings 2

Outer Diameter (mm) 48

Specifications

Part No. GA3836-02

SPB10-0P-2S-F-200mm



GENERAL INFORMATION properties

Property	Value	Standard
IP RATING	IP65	-
Mounting Flange (OD, Holes, PCD)	3X Ø4MM HOLES @120 ° ON 41mm PCD	-
ROTOR AND STATOR CABLE LENGTH	200mm PER EACH CHANNEL	-
NUMBER OF CHANNELS	2 SIGNAL	-
VOLTAGE RATING	250V	-
CURRENT RATING	DATASHEET REQUIRED FOR CONFORMATION	-
FLANGE OD	Ø48mm	-
UNIT LENGTH	52.25mm	-
OPERATING SPEED	1000 rpm	-
OPERATING TEMPERATURE	-30 TO 100 ° C	-
CIRCUIT RESISTANCE	15-20 mO	-
DATA TRANSFER	12MBraud @1000rpm	-



Part No. GA3836-02

SPB10-0P-2S-F-200mm

BGB (UK)

Call us today on +44 (0) 1476 576280

Dysart Road
Grantham
Lincolnshire
NG31 7NB

BGB (USA)

Call us today on +1 804 451 5211

1060 Port Walthall Drive
Colonial Heights
VA 23834
USA

www.bgbinnovation.com