



Specification sheet

Part No. A303D

2-45-10-22.4 SLIP RING

Print Date 16.10.23

Part No. A303D

2-45-10-22.4 SLIP RING



Number of Rings 2

Outer Diameter (mm) 45

Max Amp Rating No test Data Approx 10

Ring width (mm) 10

Bore (mm) 22.4

Min Voltage Spacing mm 3

Specifications

Part No. A303D

2-45-10-22.4 SLIP RING



Material properties

Property	Value	Standard
RING MATERIAL	BRONZE (PB1)	-
RISER MATERIAL	COPPER	-
INSULATION MATERIAL	DMC	-

RISERS properties

Property	Value	Standard
TYPE	FLAT	-
LENGTH	13mm	-
WIDTH	5mm	-
THICKNESS	1mm	-

GENERAL INFORMATION properties

Property	Value	Standard
KEY WAY (Y/N)	N	-
NUMBER OF CHANNELS	2	-
BORE SIZE	22.4mm (H7)	-

ELECTRICAL INFORMATION properties

Property	Value	Standard
CURRENT MAX	20amps	-
VOLTAGE MAX	TBC (IEC)	-



Part No. A303D

2-45-10-22.4 SLIP RING

BGB (UK)

Call us today on +44 (0) 1476 576280

Dysart Road
Grantham
Lincolnshire
NG31 7NB

BGB (USA)

Call us today on +1 804 451 5211

1060 Port Walthall Drive
Colonial Heights
VA 23834
USA

www.bgbinnovation.com